



Clinical Consumables & Accessories

Nordic



How to order

If you want to order or have any questions about an item or order, call or email at the contact details below.

Ordering Information

Sweden

T: + 46 8-410 206 40, press 2
E: orderswe@ge.com
www.gehealthcare.se

Norway

T: + 47 23 18 50 50
E: ehandel@ge.com
www.gehealthcare.no



[Make an order](#)



[Request a price quote](#)



[Make an order](#)



[Request a price quote](#)

Denmark

T: +45 45166017
F: +45 43295701
+45 43295399
E: ordre.gehcit@ge.com
www.gehealthcare.dk

Finland

T: +358 10 39411
E: finlandorders@ge.com
www.gehealthcare.fi



[Make an order](#)



[Request a price quote](#)

Service

If you wish to report equipment failures or order spare parts and service, you are welcome to contact us via the service center.

Service Center

Contact details

T: 020-120 14 36, press 4
E: nordicSC@ge.com



Contents

NIBP Supplies.....	1
SOFT-CUF	2
RADIAL-CUF	3
DURA-CUF	4
CLASSIC-CUF	5
YELLOW CLASSIC-CUF	6
SENSA-CUF	7
Neonatal	8
Connector Cables Adult-Paediatric	9
Connector Cables Neonatal	10
TruSignal Sensors and Cables	11-15
Masimo LNCS Reusable & Adhesive Sensors	15-17
Masimo RD Reusable & Adhesive Sensors.....	17-19
Nellcor OxiMax Sensors and Cables	19-21
Nellcor OxiSmart Sensors and Cables	21-23
Monitoring Solutions	23-25
Gas Monitoring.....	25
Spirometry	26
CARESCAPE V100	27-29
Temporal Artery Thermometer	29
CARESCAPE R860	30-32
Carestation 600 Series	32
Aisys & Aisys CS2 and Avance & Avance CS2.....	33-35

Performance accuracy

A patient's blood pressure (BP) is often the first step in determining the best clinical course of action. That's why quality data acquisition through your BP cuff is so essential.

GE CRITIKON™ BP cuffs from GE Healthcare are designed and tested for performance accuracy – from the first touch to the final measurement. As part of an end-to-end system for managing Clinical Information Logistics™ across your hospital, GE CRITIKON BP cuffs help you gather precise data up front. By starting with accurate information, you can make well-informed decisions that may ultimately enhance patient outcomes.

SOFT-CUF

Our most popular cuff, the CRITIKON SOFT-CUF™ is designed with soft, absorbent material with rounded corners for maximizing patient comfort during extended stays at the hospital. These cuffs are ideal for patients with longer-term stays or for protocols where the cuff travels with the patient through their total length of time in the hospital. It can be cleaned and reused on multiple patients, but is priced economically so it can be disposed of after a single patient use, helping you affordably prevent infections.

DURA-CUF

CRITIKON DURA-CUF™ is gentle and designed for durability. Made with tough, flexible nylon, they are convenient and easy-to-clean with curved corners to enhance your patient's comfort. They are constructed for multiple patient use in low-acuity care settings and ideal for physicians offices where the risk of contamination is diminished.

Neonatal Cuffs

Providing big benefits for your tiniest patients, GE Healthcare's neonatal cuffs are designed with the accuracy you trust and the gentle comfort you expect. We offer a full range of neonatal sizes with the choice of extra soft, absorbent material or easy-to-clean vinyl. The playful, color-coded animal designs help you find the right size at a glance and they are economically priced for single patient use.

RADIAL-CUF

GE Healthcare offers the first BP forearm cuff clinically validated for use on obese or overly muscular adult patients. It provides proper fit and comfort to patients, while giving reliable blood pressure readings that support quality clinical care.



Yellow CRITIKON CLASSIC-CUF

The yellow CRITIKON CLASSIC-CUF™ is designed for single patient use within an isolation environment. These vinyl cuffs are priced as disposable-use cuffs and support your infection prevention protocols. They provide the same quality and assurance that you expect from the entire line of CRITIKON cuffs, while tailored for isolation areas.

CLASSIC-CUF

CRITIKON CLASSIC-CUF™ BP cuffs are designed and clinically validated for limited reuse on multiple patients. Made with durable vinyl construction, this time-tested CRITIKON blood pressure cuff is both easy-to-clean and strong to withstand repeated inflations – yet economical enough for single patient use.

SENSA-CUF

The CRITIKON SENSA-CUF™ is a highly versatile solution for a wide range of extended-care settings. Made using strong, breathable, easy-to-clean material, the SENSA-CUF is designed to maximize patient comfort in low-acuity areas in a hospital where risk of contamination are diminished, and durable enough for multi-patient use.

NIBP Cuffs

Single Patient Use

Dedicated cuff for patients with longer-term stays.

Limited Reuse

Easy-to-clean and strong to withstand repeated inflations, yet economical enough for single patient use.

Hospital Reusable Cuff

Best value for reusable cuffs.

General Care Reusable

Can withstand extensive use and multiple disinfections and cleanings.

SOFT-CUF

Single
patient use

Limited
reuse

Hospital
reusable

General care
reusable



SOFT-CUF			GE Healthcare				Non-GE Healthcare			
Size	Color	Limb Circumference	2-Tube Screw Connector	2-Tube DINACLICK Connector	2-Tube Submin Connector	2-Tube Mated Submin Connector	1-Tube Screw Connector	1-Tube Bayonet Connector	1-Tube Submin Connector	SOFT-CUF Inflation System
Infant	Orange	8–13 cm	2500	SFT-P1-2A	2401	24501	002331	2360	2320	
Child	Green	12–19 cm	2501	SFT-P2-2A2	2402	2451	002332	2361	2321	002584
Child Long	Green	12–19 cm	2506	SFT-P2-2A-L	2400					
Small Adult	Light. Blue	17–25 cm	25022	SFT-A1-2A2	24032	2452	002333	23622	2322	002583
Small Adult Long	Light. Blue	17–25 cm	2507	SFT-A1-2A-L	2407		002334			
Adult	Navy	23–33 cm	25032	SFT-A2-2A2	24042	2453	002335	23632	2323	002580
Adult Long	Navy	23–33 cm	26042	SFT-A2-2A-L2	21162	2454	002336	21402		002582
Large Adult	Rose	31–40 cm	25042	SFT-A3-2A2	24052	2455	002337	23642	2324	002581
Large Adult Long	Rose	31–40 cm	2644	SFT-A3-2A-L	2117	2456	002338	2141		002585
Thigh	Brown	38–50 cm	2505	SFT-T1-2A	2406	2457	002339	2365	2325	

1. Infant BP Cuff for Datex-Ohmeda* monitors has male slip luer connector 2. Has a respective part number with an “-INT” suffix, denoting that the Instructions For Use (IFU) is available in multiple languages

Note: 20 cuffs/box

SOFT-CUF Assortment Pack	Part Number	Description
2-Tube Screw Connectors	002695	1 Infant, 1 Child, 2 Small Adult, 2 Adult, 1 Adult Long, 2 Large Adult, 1 Thigh (10 cuffs/box)
2-Tube Submin Connectors	2056304-002	5 Small Adult, 10 Adult, 5 Large Adult (20 cuffs/box)
	2298	1 Infant, 1 Child, 2 Small Adult, 2 Adult, 1 Adult Long, 2 Large Adult, 1 Thigh (10 cuffs/box)
2-Tube DINACLICK Connectors	2059303-001	5 Small Adult, 10 Adult, 5 Large Adult (20 cuffs/box)

RADIAL-CUF

Single patient use

Limited reuse

Hospital reusable

General care reusable



RADIAL-CUF		GE-Healthcare			
					
Color	Forearm Circumference	2-Tube Screw Connector	2-Tube DINACLICK Connector	2-Tube Submin Connector	2-Tube Mated Submin Connector
Purple	26–36 cm [†]	SFT-F1-2E	SFT-F1-2A	SFT-F1-2C	SFT-F1-2D

Note: 20 cuffs/box
[†] Forearm measurement.

When to use the adult forearm cuff

Use the adult forearm cuff with adult patients whose forearm circumference are 26-36 cm and who exhibit one or more of these characteristics:

- Upper mid-arm circumference is greater than 40 cm (>40 cm)
- Upper arm is conical, not cylindrical, so that the upper arm cuff does not close/wrap in straight alignment (conical shape)
- Upper arm cuff's width is too long for the patient's upper arm and overlaps the elbow (short arm)



DURA-CUF

Single
patient use

Limited
reuse

Hospital
reusable

General care
reusable



DURA-CUF			GE Healthcare				Non-GE Healthcare		
Size	Color	Limb Circumference	2-Tube Screw Connector	2-Tube DINACLICK Connector	2-Tube Submin Connector	2-Tube Mated Submin Connector	1-Tube Screw Connector	1-Tube Bayonet Connector	DURA-CUF Inflation System
Infant	Orange	8–13 cm	002783	DUR-P1-2A	002200	27501	002760	002274	002385
Child	Green	12–19 cm	002781	DUR-P2-2A	002201	2751	002761	002275	002384
Child Long	Green	12–19 cm	2785	DUR-P2-2A-L			002769		002386
Small Adult	Royal Blue	17–25 cm	002779	DUR-A1-2A	002202	2752	002762	002276	002383
Small Adult Long	Royal Blue	17–25 cm		DUR-A1-2A-L			002763		002387
Adult w/ Hanger	Navy	23–33 cm	002771						002380
Adult	Navy	23–33 cm	002774	DUR-A2-2A	002203	2753	002764	002277	
Adult Long	Navy	23–33 cm	002772	DUR-A2-2A-L	002206	002756	002765	002130	2388
Large Adult	Wine	31–40 cm	002791	DUR-A3-2A	002204	2754	002766	002278	002381
Large Adult Long	Wine	31–40 cm	002784	DUR-A3-2A-L	002207	002757	002767	002131	2389
Thigh	Brown	38–50 cm	002796	DUR-T1-2A	002205	2755	002768	002279	002382

1. Infant BP Cuff for Datex-Ohmeda* monitors has Male Slip Luer Connector

Note: 5 cuffs/box

DURA-CUF Assortment Pack	Part Number	Description
2-Tube Screw Connectors	002699	1 Infant, 1 Child, 1 Small Adult, 1 Adult, 1 Large Adult, 1 Thigh (6 cuffs/box)
	002697	2 Infant, 3 Child, 1 Small Adult (6 cuffs/box)
	002698	1 Small Adult, 2 Adult, 1 Adult Long, 1 Large Adult, 1 Large Adult Long (6 cuffs/box)
2-Tube Submin Connectors	2299	1 Infant, 1 Child, 1 Small Adult, 1 Adult, 1 Large Adult, and 1 Thigh (6 cuffs/box)
	2296	2 Infant, 3 Child, 1 Small Adult (6 cuffs/box)
	2297	1 Small Adult, 2 Adult, 1 Adult Long, 1 Large Adult, 1 Large Adult Long (6 cuffs/box)
2-Tube DINACLICK Connectors	2059301-001	1 Small Adult, 1 Adult, 1 Large Adult (3 cuffs/box)

CLASSIC-CUF

Single
patient use

Limited
reuse

Hospital
reusable

General care
reusable



CLASSIC-CUF			GE Healthcare				Non-GE Healthcare	
Size	Color	Limb Circumference	2-Tube Screw Connector	2-Tube DINACLICK Connector	2-Tube Submin Connector	2-Tube Mated Submin Connector	1-Tube Bayonet Connector	CLASSIC-CUF Inflation System
Infant	Orange	8–13 cm	2618	CLA-P1-2A	2354	2170	2300	
Child	Green	12–19 cm	2613	CLA-P2-2A	2355	2171	2301	002287
Small Adult	Light. Blue	17–25 cm	2608	CLA-A1-2A	2356	2172	2302	002285
Adult	Navy	23–33 cm	2603	CLA-A2-2A	2357	2173	2303	002283
Adult Long	Navy	23–33 cm	2647	CLA-A2-2A-L	2352	2174	2306	
Large Adult	Rose	31–40 cm	2643	CLA-A3-2A	2358	2175	2304	002281
Large Adult Long	Rose	31–40 cm	2649	CLA-A3-2A-L	2353	2176	2307	
Thigh	Brown	38–50 cm	2648	CLA-T1-2A	2359	2177	2305	

1. Infant BP Cuff for Datex-Ohmeda monitors has Male Slip Luer Connector.

Note: 20 cuffs/box

CLASSIC-CUF Assortment Pack	Part Number	Description
2-Tube Screw Connectors	2692	1 Infant, 1 Child, 2 Small Adult, 2 Adult, 1 Adult Long, 2 Large Adult, 1 Thigh (10 cuffs/box)
2-Tube Submin Connectors	2292	1 Infant, 1 Child, 2 Small Adult, 2 Adult, 1 Adult Long, 2 Large Adult, 1 Thigh (10 cuffs/box)
2-Tube DINACLICK Connectors	2059304-001	5 Small Adult, 10 Adult, 5 Large Adult (20 cuffs/box)

YELLOW CLASSIC-CUF

Single
patient use

Limited
reuse

Hospital
reusable

General care
reusable



YELLOW CLASSIC-CUF			GE-Healthcare		
					
Size	Color	Limb Circumference	2-Tube Screw Connector	2-Tube DINACLICK Connector	2-Tube Submin Connector
Infant	Yellow/Blue	8–13 cm	2650	CLA-P1-2A-X	2670
Child	Yellow/Blue	12–19 cm	2651	CLA-P2-2A-X	2671
Small Adult	Yellow/Blue	17–25 cm	2607	CLA-A1-2A-X	2672
Adult	Yellow/Blue	23–33 cm	2602	CLA-A2-2A-X	2673
Large Adult	Yellow/Blue	31–40 cm	2642	CLA-A3-2A-X	2674
Thigh	Yellow/Blue	38–50 cm	2652	CLA-T1-2A-X	2675

Note: 20 cuffs/box.

SENSA-CUF

Single
patient use

Limited
reuse

Hospital
reusable

General care
reusable



SENSA-CUF			GE Healthcare			Non-GE Healthcare
						
Size	Color	Limb Circumference	2-Tube Screw Connector	2-Tube DINACLICK Connector	2-Tube Submin Connector	1-Tube Bayonet Connector
Infant	Orange	8–13 cm	2458	SEN-P1-2A	2482	2470
Child	Green	12–19 cm	2460	SEN-P2-2A	2484	2472
Small Adult	Light. Blue	17–25 cm	2462	SEN-A1-2A	2486	2474
Small Adult Long	Light. Blue	17–25 cm	2463	SEN-A1-2A-L	2487	2475
Adult	Navy	23–33 cm	2464	SEN-A2-2A	2488	2476
Adult Long	Navy	23–33 cm	2465	SEN-A2-2A-L	2489	2477
Large Adult	Rose	31–40 cm	2466	SEN-A3-2A	2490	2478
Large Adult Long	Rose	31–40 cm	2467	SEN-A3-2A-L	2491	2479
Thigh	Brown	38–50 cm	2468	SEN-T1-2A	2492	2480

Note: 5 cuffs/box

SENSA-CUF Assortment Pack	Part Number	Description
2-Tube Screw Connectors	2494	1 Small Adult, 1 Adult, 1 Large Adult (3 cuffs/box)
2-Tube DINACLICK Connectors	2059300-001	Small Adult, 1 Adult, 1 Large Adult (3 cuffs/box)

Neonatal

Single
patient use

Limited
reuse

Hospital
reusable

General care
reusable



Neonatal			GE Healthcare				Non-GE Healthcare			
										
Size	Color	Limb Circumference	SOFT-CUF	CLASSIC-CUF	SOFT-CUF	CLASSIC-CUF	SOFT-CUF	CLASSIC-CUF	SOFT-CUF	CLASSIC-CUF
1	Orange	3–6 cm	2521	2638	SFT-N1-2B	CLA-N1-2B	2121	2138	SFT-N1-1B	CLA-N1-1B
2	Light Blue	4–8 cm	2422	2633	SFT-N2-2B	CLA-N2-2B	2122	2133	SFT-N2-1B	CLA-N2-1B
3	Green	6–11 cm	2523	2628	SFT-N3-2B	CLA-N3-2B	2124	2128	SFT-N3-1B	CLA-N3-1B
4	Navy	7–13 cm	2524	2623	SFT-N4-2B	CLA-N4-2B	2125	2123	SFT-N4-1B	CLA-N4-1B
5	Rose	8–15 cm	2525	2619	SFT-N5-2B	CLA-N5-2B	2126	2119	SFT-N5-1B	CLA-N5-1B

Note: 20 cuffs/box

Neonatal Assortment Pack	Cuff Type	Part Number	Description
2-Tube Luer Connectors	SOFT-CUF	2694	2 Neo #1, 3 Neo #2, 5 Neo #3, 5 Neo #4, 5 Neo #5 (20 cuffs/box)
	CLASSIC-CUF	2693	2 Neo #1, 3 Neo #2, 5 Neo #3, 5 Neo #4, 5 Neo #5 (20 cuffs/box)
2-Tube Neo-Snap Connectors	SOFT-CUF	2059305-002	2 Neo #1, 3 Neo #2, 5 Neo #3, 5 Neo #4, 5 Neo #5 (20 cuffs/box)
	CLASSIC-CUF	2059306-002	2 Neo #1, 3 Neo #2, 5 Neo #3, 5 Neo #4, 5 Neo #5 (20 cuffs/box)
1-Tube Luer Connectors	SOFT-CUF	2696	2 Neo #1, 3 Neo #2, 5 Neo #3, 5 Neo #4, 5 Neo #5 (20 cuffs/box)
	CLASSIC-CUF	2680	2 Neo #1, 3 Neo #2, 5 Neo #3, 5 Neo #4, 5 Neo #5 (20 cuffs/box)
1-Tube Neo-Snap Connectors	SOFT-CUF	2059305-001	2 Neo #1, 3 Neo #2, 5 Neo #3, 5 Neo #4, 5 Neo #5 (20 cuffs/box)
	CLASSIC-CUF	2059306-001	2 Neo #1, 3 Neo #2, 5 Neo #3, 5 Neo #4, 5 Neo #5 (20 cuffs/box)

Connector Cables Adult-Paediatric

Adult-Pediatric, DINAClick Connector	
	Compatibility: Eagle 3000, Dash 2000, 2500, 3000, 4000, 5000, Tram, CARESCAPE* Patient Data Module, E-PSM(P), E-PRESTN, E-PRETN, E-RESTN
Length: 1.2 m/4 ft	Part Nr 2058203-001
Length: 3.6 m/12 ft	Part Nr 2058203-002
Part Nr 7.2 m/24 ft	Part Nr 058203-003

Adult-Paediatric, Subminiature Connectors	
	Compatibility: Eagle 3000, Dash 2000, 2500, 3000, 4000, 5000, Tram, CARESCAPE Patient Data Module, Corometrics 120, 128, 129, 259, 259cx, E-PSM(P), E-PRESTN, E-PRETN, E-RESTN
Length: 1.2 m/4 ft	Part Nr 2017008-002
Length: 3.6 m/12 ft	Part Nr 2017008-001

Adult-Paediatric, Screw Connectors	
	Compatibility: Dash 2000, 2500, 3000, 4000, 5000, Tram, CARESCAPE Patient Data Module, Corometrics 120, 128, 129, 259, 259cx, E-PSM(P), E-PRESTN, E-PRETN, E-RESTN, MRI
Length: 3.6 m/12 ft	Part Nr 2017008-003
Length: 1.2 m/4 ft	Part Nr 2017008-004

Adult, Mated Subminiature Connectors	
	Compatibility: Dash 2000, 2500, 3000, 4000, 5000, Tram, CARESCAPE Patient Data Module, Corometrics 120, 128, 129, 259, 259cx, B30 Patient Monitor, E-PSM(P), E-PRESTN, E-PRETN, E-RESTN, MRI
Length: 3.6 m/12 ft	Part Nr 2020980-001
Length: 6 m/19.7 ft	Part Nr 2020980-002


Adult-Paediatric, Gray Shroud to Dinaclick	
	Compatibility: GE DINAMAP Pro Series, GE DINAMAP ProCare, CARESCAPE V100/VC150, Compact, MPS Monitors
Length: 3.6 m/12 ft	Part Nr 2058205-001
Length: 7.2 m/24 ft	Part Nr 2058205-002

Connector Cables Neonatal

Neo-Snap Connector	
	Compatibility: Dash 2000, 2500, 3000, 4000, 5000, Tram, CARESCAPE Patient Data Module
Length: 1.2 m/4 ft	Part Nr 2058204-001
Length: 2.4 m/8 ft	Part Nr 2058204-002
Length: 3.6 m/12 ft	Part Nr 2058204-003
Length: 6 m/19.7 ft	Part Nr 2058204-004


Neonatal, Female Slip Luer	
	Compatibility: Dash 2000, 2500, 3000, 4000, 5000, Tram, CARESCAPE Patient Data Module, E-PSM(P), E-PRESTN, E-PRETN, E-RESTN, B30 Patient Monitor
Length: 2.4 m/8 ft	Part Nr 2017009-001
Length: 1.2 m/4 ft	Part Nr 2017009-002
Length: 3.6 m/12 ft	Part Nr 2017009-003

Neonatal, Female Slip Luer	
	Compatibility: MRI Monitor
Length: 6 m/19.7 ft	Part Nr 2017009-004

Air Hose Adapter	
	Compatibility: connect round connector air hoses 9461-203, 9461-205, 9461-214, 9461-215 to rectangular connector NIBP port on monitor
Length: 0.25 m/0.83 ft	Part Nr 414876-001

TruSignal Sensors and Cables

GE Connector



Compatibility: CARESCAPE* modular monitors and S/5, AS/3 and CS/3 modular monitors with E-(P)RESTN or E-PSM(P) modules. CARESCAPE V100 with TruSignal* option, Responder, B20 and B40 monitors.



TruSignal Interconnect cable with GE connector
TS-G3 3 m/10 ft (replaces OXY-ES3)



TruSignal Integrated Finger sensor with GE connector
Patient Weight $\geq$ 20 kg (44 lb), Adult, paediatric

TS-F2-GE 2 m/6.6 ft

TS-F4-GE 4 m/13 ft




TruSignal Integrated FingerTip sensor with GE connector
Patient Weight $\geq$ 30 kg (66 lb), Adult

TS-SA4-GE 4 m/13 ft



TruSignal Integrated PediTip sensor with GE connector
Patient Weight 15 - 30 kg (33 - 66 lb), Paediatric

TS-SP3-GE 3 m/10 ft




TruSignal Integrated Ear sensors with GE connector
Patient Weight $\geq$ 10 kg (22 lb), Adult, paediatric

TS-E2-GE 2 m/6.6 ft

TS-E4-GE 4 m/13 ft

TruSat Connector




Compatibility: GE Ohmeda TruSat pulse oximeter



TruSignal Interconnect cable with TruSat connector
TS-M3 3 m/10 ft (replaces OXY-MC3)

TruSignal Sensors and Cables

Ohmeda Connector




Compatibility: Handheld pulse oximeters (GE Ohmeda TuffSat*, 3775), tabletop pulse oximeters (3700 series, 3800, 3900, 3900P), respiratory gas monitors (4700, 5250 RGM), CARESCAPE modular monitors and S/5, AS/3, CS/3 modular monitors with M-OSAT module, CardiCap*/5 with N-XOSAT option.



TruSignal Interconnect cable with Ohmeda connector
TS-H3 3 m/10 ft (replaces OXY-OL1, OXY-OL3)




TruSignal Integrated Finger sensor with Ohmeda connector
Patient Weight ≥ 20 kg (44 lb), Adult, paediatric
TS-F1-H 1 m/3.3 ft



TruSignal Integrated Ear sensor with Ohmeda connector
Patient Weight ≥ 10 kg (22 lb), Adult, paediatric
TS-E4-H 4 m/13 ft

Datex Connector



Compatibility: CARESCAPE modular monitors and S/5, AS/3 and CS/3 modular monitors with M-NE12ST(P)R, M-(N)EST(P)(R) or M-(P)RESTN modules; CardiCap/5 and S/5 Light Monitors.



TruSignal Interconnect cable with Datex connector
TS-N3 3 m/10 ft
(replaces OXY-SL3, OXY-C1, OXY-C3, OXY-C7)



TruSignal Integrated Finger sensor with Datex connector
Patient Weight ≥ 20 kg (44 lb), Adult, paediatric
TS-F4-N 4 m/13 ft



TruSignal Integrated Ear sensor with Datex connector Patient Weight ≥ 10 kg (22 lb), Adult, paediatric
TS-E4-N 4 m/13 ft

End of Life accessory

Part number	Description	Replacement product
TS-F4-MC	TruSignal Integrated Finger sensor with TruSat connector	Cable TS-M3 with TS-F-D sensor
TS-F4-H	TruSignal Integrated Finger sensor with Ohmeda connector	Cable TS-H3 with TS-F-D sensor
TS-W4-H	TruSignal Integrated Wrap sensor with Ohmeda connector	Cable TS-H3 with TS-W-D sensor
TS-SP3-MC	TruSignal Integrated PediTip sensor with TruSat connector	Cable TS-M3 with TS-SP-D sensor
TS-SA3-MC	TruSignal Integrated FingerTip sensor with TruSat connector	Cable TS-M3 with TS-SA-D sensor
TS-E4-MC	TruSignal Integrated Ear sensor with TruSat connector	Cable TS-M3 with TS-E-D sensor

TruSignal Sensors and Cables

TruSignal sensors



TruSignal Ear sensor

Patient Weight ≥ 10 kg (44 lb), Adult, paediatric

TS-E-D 1 m/3.3 ft (replaces OXY-E-UN, OXY-E-DB)



TruSignal Finger sensor

Patient Weight ≥ 20 kg (44 lb), Adult, paediatric

TS-F-D 1 m/3.3 ft (replaces OXY-F-UN, OXY-F-DB)



TruSignal FingerTip sensor

Patient Weight >30 kg (60 lb), Adult

TS-SA-D 1 m/3.3 ft



TruSignal PediTip sensor

Patient Weight 15-30 kg (66 lb), Adult

TS-SP-D 1 m/3.3 ft



TruSignal Wrap sensor

Patient Weight ≥ 3 kg (6 lb), Adult, paediatric

TS-W-D 1 m/3.3 ft (replaces OXY-W-UN, OXY-W-DB)




TruSignal Sensitive Skin sensor

Patient Weight: no limit, Adult, paediatric, infant, neonate

TS-SE-3 1 m/3.3 ft 3/box (replaces OXY-SE-3)

TruSignal Disposable Sensors



TruSignal AllFit sensor Patient Weight: no limit, Adult, paediatric, neonate

TS-AF-10 0.5 m/1.7 ft 10/box (replaces OXY-AF-10)


TS-AF-25 0.5 m/1.7 ft 25/box (replaces OXY-AF-25)

TruSignal Adult/Pediatric sensor

Patient Weight ≥ 20 kg (44 lb), Adult, paediatric

TS-AP-10 0.3m/1ft 10/box (replaces OXY-AP-10)

TS-AP-25 0.3m/1ft 25/box (replaces OXY-AP-25)



TruSignal Sensors and Cables



TruSignal Adult Adhesive Wrap sensor

Patient Weight ≥ 20 kg (44 lb), Adult

TS-AAW-10 0.3m/1ft 10/box

TS-AAW-25 0.3m/1ft 25/box



TruSignal Paediatric Adhesive Wrap sensor

Patient Weight 3 - 20 kg (6.6 - 44 lb), Paediatric, Infant

TS-PAW-10 0.3m/1ft 10/box

TS-PAW-25 0.3m/1ft 25/box

SpO2 Accessories

Wide adhesive replacement tape Use with Wrap, Sensitive Skin or AllFit Sensor

OXY-RTW

Foam wrap replacement, no weight limit

OXY-RWL Large, Use with Wrap Sensor

OXY-RWM Medium, Use with Sensitive Skin sensor

OXY-RWS Small, Use with Sensitive Skin sensor

Replacement adhesive tape, use with AllFit Sensor

OXY-RTB Bears

OXY-RT Blue

Infant foam sandal,

Patient Weight 2 to 7.7 kg (4.4 to 17 lb)

OXY-SND Use with Sensitive Skin sensor

Replacement Headband

OXY-HB Use with Ear sensor

Masimo LNCS Reusable & Adhesive Sensors

Monitors



Connecting Cables

GE



Masimo LNC-10 interconnect cable for Dash, Tram, Corometrics 3 m (10 ft)

2027263-002 3m (10ft)

Configured

CARESCAPE V100 with Masimo option
Corometrics 250 Series with Masimo option
Dash 2500 with Masimo option
Dash 3000/4000/5000 with Masimo option

Modular monitors with modules


S/5, AS/3, CS/3 modular monitors with E-MASIMO module
CardioLab/Mac-Lab with Tram module 451M
CARESCAPE Monitor B850
with CARESCAPE Patient Data Module with Masimo option
with E-MASIMO module
with Masimo SpO2 module for Tram-Rac
with Tram module 451M/851M
CARESCAPE Monitor B650
with CARESCAPE Patient Data Module with Masimo option
with E-MASIMO module
Solar 8000M v5/8000i v5
with CARESCAPE Patient Data Module with Masimo option
with Tram module 451M/851M
Solar 8000/8000M/8000i
with Masimo SpO2 module for Tram-Rac
with Tram module 451M/851M
Solar 9500 with Tram module 451M/851M

PROCARE monitors

PROCARE Monitor B40 with Masimo option
PROCARE Monitor B20 with Masimo option

Masimo LNCS Reusable & Adhesive Sensors

Reusable sensors



2027258-001

Masimo LNCS DCI Reusable sensor, Adult

2027259-001

Masimo LNCS DCIP Reusable sensor, Pediatric

2027261-001

Masimo LNCS TC-I TipClip Reusable Ear sensor

Adhesive sensors

2027253-001

Masimo LNCS Adhesive sensor, LNCs-Adtx, Adult (20/box)

2027254-001

Masimo LNCS Adhesive sensor, LNCs-Pdtx, Pediatric (20/box)

2051068-001

Masimo LNCS Adhesive sensor, LNCs Inf, Infant (20/box)

2051069-001

Masimo LNCS Adhesive sensor, LNCs Neo Neonatal (20/box)

2051070-001

Masimo LNCS Adhesive sensor, LNCs-Neo-Pt, Neonatal (20/box)

Accessories

2051071-001 Replacement tape for LNCs Inf series sensors (100/box)

2051073-001 Replacement tape for Neo series sensors (100/box)

2051074-001 Replacement tape for NeoPt series sensors (10/box)

Masimo RD Reusable & Adhesive Sensors

Monitors



Connecting Cables

GE



RD SET GE - 12, patient cable, 12 FT, 1/box
MASIMO-RD-4085 3.6m (12ft)

RD SET GE - 05, patient cable, 5 FT, 1/box
MASIMO-RD-4084 1.5m (5ft)

Compatible

The following sensors and cables are compatible with CARESCAPE™ Modular Monitors B450, B650 and B450, either with E-MASIMO module or CARESCAPE PDM module. Same applies to CARESCAPE V100 monitor.


Reusable sensors



MASIMO-RD-4050 RD SET® DCI, adult reusable sensor, 3 FT, 1/box

MASIMO-RD-4051 RD SET® DCI-P, pediatric/slender digit reusable sensor, 3 FT, 1/box

Adhesive sensors



MASIMO-RD-4000 RD SET® Adt, Adult SpO2 adhesive sensor, 20/Box

MASIMO-RD-4001 RD SET® Pdt, Pediatric SpO2 adhesive sensor, 20/Box

MASIMO-RD-4002 RD SET® Inf, Infant SpO2 adhesive sensor, 20/Box


MASIMO-RD-4003 RD SET® Neo, Neonatal/Adult SpO2 adhesive sensor, 20/Box

MASIMO-RD-4004 RD SET® NeoPt, Neonatal SpO2 adhesive sensor, 20/Box

Tapes & Wraps



MASIMO-RD-4046 RD SET Inf Replacement Tapes, 102/Box



MASIMO-RD-4047 RD SET Neo Replacement Tapes, 102/Box



MASIMO-RD-4048 RD SET Neo Pt Replacement Wraps, 10/Box

Nellcor OxiMax Sensors and Cables

Monitors



OxiMax

CARESCAPE Monitor B850 with CARESCAPE Patient Data Module with Nellcor OxiMax™ option with Tram module 451N5/851N5 CARESCAPE Monitor B650 with CARESCAPE Patient Data Module with Nellcor OxiMax option CARESCAPE V100 with Nellcor OxiMax option Cardiolab/Mac-Lab with Tram module 451N5 Dash 2500 with Nellcor OxiMax option Dash 3000/4000/5000 with Nellcor OxiMax option Solar 8000/8000M/8000i and 9500 with Tram module 451N5/851N5 Solar 8000M v5/8000i v5 with CARESCAPE Patient Data Module with Nellcor OxiMax option E-NSATX module for S/5, AS/3, CS/3 modular monitors and CARESCAPE modular monitors



OxiMax

GE DINAMAP ProCare with Nellcor OxiMax option GE DINAMAP PRO Series v2 with Nellcor OxiMax option GE DINAMAP PRO 1000 v3 with Nellcor OxiMax option E-NSAT module for S/5, AS/3, CS/3 modular monitors and CARESCAPE modular monitors



Corometrics 250 Series with Nellcor OxiMax option

Connecting Cables

GE



Interconnect cable with GE connector and Nellcor OxiMax connector

2021406-001 3 m (10 ft)

2021406-002 1.2 m (4 ft)



Interface cable Nellcor OxiMax DOC-10

2008773-001 2.9 m (9.5 ft)



Interconnect cable with GE connector and Nellcor OxiMax connector (for Corometrics only)

2025350-001 3 m (10 ft)

Nellcor OxiMax Sensors and Cables

Sensor Type

	70124021	Nellcor DuraSensor Reusable Finger Probe DS100A (1/box)
	70124033	Nellcor SpO2 Multisite Sensor D-YS
	70124034	Nellcor SpO2 Ear-Clip D-YSE, for use with 70124033 (1/box)
	70124035	Nellcor SpO2 Sensor OXY-A/N, Neonatal/Adult (1/box)
	414248-001	Nellcor SpO2 Sensor OXI-P/I, Pediatric/Infant (1/box)
	70124022	Nellcor SpO2 Sensor MAX-P, Adhesive, Pediatric (24/box)
	70124026	Nellcor SpO2 Sensor MAX-I, Adhesive, Infant (24/box)
	70124027	Nellcor SpO2 Sensor MAX-A, Adhesive, Adult (24/box)
	70124032	Nellcor SpO2 Sensor AX-N, Adhesive, Neonatal (24/box)
	407705-005	Nellcor SpO2 Sensor MAX-R, Adhesive, Nasal (24/box)
	2028117-001	Nellcor SpO2 sensor MAX-AL, Adhesive, Adult Long (24/box)

Nellcor OxiSmart Sensors and Cables

Monitors



Connecting Cables

GE



Interconnect cable with GE connector and Nellcor OxiSmart connector

2006644-001 2.9 m (9.5 ft)

OxiSmart

CARESCAPE Monitor B850 with Tram module
451/451N/851/851N CardioLab/Mac-Lab with Tram module
451/451N Corometrics 120/2120 Series Dash
3000/4000 (v5 or lower) with legacy Marquette option
Dash 3000/4000/5000 with GE Ohmeda option
Responder 3000 with Nellcor OxiSmart option Solar
8000/8000M/8000i and 9500 with Tram module
451/451N/851/851N

Corometrics 118



Interconnect cable Nellcor Corometrics 118 monitor

4033CAX 3 m (10 ft)

† Refer to the CARESCAPE Monitor B850 and CARESCAPE Monitor B650 User Manuals for compatible M-NSAT module versions.

Nellcor OxiSmart Sensors and Cables

Sensor Type

	70124021	Nellcor DuraSensor Reusable Finger Probe DS100A (1/box)
	70124033	Nellcor SpO2 Multisite Sensor D-YS
	70124034	Nellcor SpO2 Ear-Clip D-YSE, for use with 70124033 (1/box)
	70124035	Nellcor SpO2 Sensor OXY-A/N, Neonatal/Adult (1/box)
	414248-001	Nellcor SpO2 Sensor OXI-P/I, Pediatric/Infant (1/box)
	70124022)	Nellcor SpO2 Sensor MAX-P, Adhesive, Pediatric (24/box)
	70124026	Nellcor SpO2 Sensor MAX-I, Adhesive, Infant (24/box)
	70124027	Nellcor SpO2 Sensor MAX-A, Adhesive, Adult (24/box)
	70124032	Nellcor SpO2 Sensor AX-N, Adhesive, Neonatal (24/box)
	407705-005)	Nellcor SpO2 Sensor MAX-R, Adhesive, Nasal (24/box)
	2028117-001	Nellcor SpO2 sensor MAX-AL, Adhesive, Adult Long (24/box)

Monitoring Solutions

NMT				
	Part Number	Description	Life-span	Packaging
	888414	- NMT sensor cable 3 m /11 foot - For M and E series and PSM modules		Each
	888418	- NMT mechanosensor - Adults - For M and E series modules		Each
	897439	- NMT pediatric mechanosensor 5 to 20 kg - For M and E series modules		Each
	888416	- NMT Electrosensor - Other measurement sites than hand		
	888417	- Regional block adapter 0.5 m (1.5 ft) - Stimulation needle connector ID 2 mm		
	57268-HEL	- NMT electrodes - Disposable	Single Use	30/box
	8002717	- NMT Start up kit - Includes Mechanosensor, Sensor cable 3.3 m, NMT electrodes		Each

Monitoring Solutions

ENTROPY			
	Part Number	Description	Packaging
	M1050784	GE Entropy cable For M and E series modules	Each
	M1038681	GE Entropy sensor For M and E series modules replaces 8002858	Box of 25
	M1174413	GE Entropy EasyFit sensor Reusable	Box of 25
	M1174414	Entropy EasyFit sensor start-up kit Entropy EasyFit sensor M1174413 (2 boxes), GE Entropy cable (1 Each)	Each
	M1060609	GE Entropy start-up kit GE Entropy sensor 2 Boxes and GE Entropy cable 1 Each	Each



Gas Monitoring

	D-Fend Pro	D-Fend Pro+	Mini D-Fend	D-Fend	D-Fend+
					
Part Number	M1182629	M1200227	8002174	876446-HEL	881319-HEL
Colour	Dark Steel Blue	Green		Black	Green
Application	Anaesthesia	Critical Care	Anaesthesia/Critical Care		
Recommended with	E-sCAiO, E-sCAiOV E-sCAiOVX, E-sCAiOE E-sCAiOVE, N-CAiO	E-sCO, E-sCOV E-sCOVX	E-MiniC	E-CAiO, E-CAiOV, E-CAiOVX	E-CO E-COV E-COVX
Replacing Interval	Max. 2 months and whenever the host device prompts	24 hours/each new patient and whenever the host device prompts	<i>Anaesthesia:</i> Max. 2 months and whenever the host device prompts <i>Critical Care:</i> 24 hours/each new patient and whenever the host device prompts	Max. 2 months and whenever the host device prompts	24 hours/each new patient and whenever the host device prompts
Bacterial filtration efficiency	> 99,999 %	> 99,999%			
Vital filtration efficiency	> 99,999 %	> 99,999 %			
Packaging	10/box	10/box	10/box	10/box	10/box

Calibration gas

	Part Nr	Description
	755580	QUICK CAL calibration gas, CO2, bal Air.
	755583-HEL	GAS Calibration gas - ANAES (1). For anesthesia gas modules E-sCAiO(V), E-sCAiO(V)E, E-SCOVX, E-sCAiOVX, N-CAiO
	755534-HEL	D-gate calibration gas regulator. For 755580 & 755583-HEL



Gas sampling line

Part Number	Description	Packaging
2097307-001	Gas sampling line, Disposable, PVC/PE, 2m/ 7ft	10/case
2097307-002	Gas sampling line, Disposable, PVC/PE, 3m/ 10ft	10/case
2097307-003	Gas sampling line, Disposable, PVC/PE, 6m/ 20ft	5/case
400149-002	Disposable airway adapter, adult, dead space ≤ 6ml	

Spirometry

D-lite flow sensors



Part Number	733910-HEL	73393	896952	8001948
Sensor	D-lite Reusable	Pedi-lite Reusable	D-lite+ Disposable	Pedi-lite+ Disposable
Application	Adults	Paediatric	Adults - humid conditions	Paediatric - humid conditions
HME recommended	Yes	Yes	Yes	Yes
Measurement range (Tidal volume)	150-2000 ml	15-300 ml with E-GAS, otherwise 5-300ml	150-2000 ml	15-300 ml with E-GAS, otherwise 5-300ml
Accuracy	±6% or 30 ml	±6% or 4 ml	±6% or 30 ml	±6% or 4 ml
Dead space	9.5 ml	2.5 ml	9.5 ml	2.5 ml
Material	Polyphenylsulfone	Polyphenylsulfone	Polystyrene	Polystyrene
Colour	Transparent yellow	Transparent yellow	Transparent	Transparent
Package Size	Each	Each	50/case	50/case

Spirometry tubes, single use

Part Nr	Length
890031	2 m/7 ft
884101	3 m/10 ft
891191-HEL	6 m/20 ft



Spirometry kits, single use

Part Nr	Application
8002718	Paediatric, for humid conditions (2 m/7 ft)
8004381	For humid conditions (2 m/7 ft)
8004382	For humid conditions (3 m/10 ft)
M1032634	Paediatric, for humid conditions (3 m/10 ft)

Note: If you use the module for measuring metabolism, use the 2m spirometry tube/kit and gas sampling line

Maintenance

hand washed, machine washed, disinfected with suitable disinfectants, steam autoclaved (max. temp +134C/273F).

	1. Cleaning		2. Disinfection		3. Sterilisation
	Machine wash	Wipe with ordinary detergent	Machine wash	Immerse in disinfectant	max. temp. 132°C Steam autoclave
D-lite flow sensor	x	o	x	o	o
Pedi-lite flow sensor	x	o	x	o	o

x recommended o if necessary



Blood Pressure Cuffs (NIBP)

	SOFT-CUF blood pressure cuff, Adult, Pack:20/box		DURA-CUF blood pressure cuff, Adult, Pack:1/box		RADIAL-CUF blood pressure cuff for obesity patients Adult, Pack:20/box
Color/Size	Part Nr	Color/Size	Part Nr	Color/Size	Part Nr
Navy, 23-33 cm	SFT-A2-2A	Navy, 23-33 cm	DUR-A2-2A-E	Purple	SFT-F1-2A
Rose, 31-40 cm	SFT-A3-2A	Wine, 31-40 cm	DUR-A3-2A-E		

	Neonatal Classic-CUF Pack:20 Assortment Pack 1-5; 2059306-002
Size	Part Nr
3-6cm	CLA -N1-2B
4-8cm	CLA -N2-2B
6-11cm	CLA -N3-2B
7-13cm	CLA -N4-2B
8-18cm	CLA -N5-2B

	DINAClick Connector Adult-Pediatric Connector
Length	Part Nr
3,6 m	2058205-001

	Connector Cable Neonatal Neo-Snap, Connector
Length	Part Nr
3,6 m	2058206-001

Temperature measurement

	Exergen disposable caps,Black,		Protective sheaths, IVAC, type P850A,
Packaging	Part Nr	Packaging	Part Nr
Pack: 1000/box	EX134203	Pack: 5000/box	088015
Pack: 5000/box	EX134205		

Pulse Oximetry - GE TruSignal - Adults / Children

	TruSignal FingerTip Sensor, Adult,continuous,		TruSignal PediTip SPO2 sensor, Children, GE connection		TruSignal connection cable
Length	Part Nr	Length	Part Nr	Length	Part Nr
4 m	TS-SA4-GE	3 m	TS-SP3-GE	3m	TS-G3

CARESCAPE V100

	TruSignal finger sensor with GE connector
Length	Part Nr
2 m	TS-F2-GE
4 m	TS-F4-GE

	TruSignal, FingerTip Sensor
Length	Part Nr
Adult, 1 m	TS-SA-D
Child, 1 m	TS-SP-D

	TruSignal ear sensor, Reusable
Length	Part Nr
1 m	TS-E-D

	TruSignal AllFit sensor, length 0,5 m
Packaging	Part Nr
Pack: 10/box	TS-AF-10
Pack: 25/box	TS-AF-25

	TruSignal Adult/Pediatric sensor Patient Weight ≥ 20 kg
Packaging	Part Nr
Pack: 10/box	TS-AP-10
Pack: 25/box	TS-AP-25

	TruSignal PediTip SPO2 Sensor
Length	Part Nr
1 m	TS-E-D

Pulse Oximetry - Nellcor Oximax					
	Nellcor OxiMax Interconnect cable with GE connection		Nellcor DuraSensor, Reusable Finger sensor Probe DS100A (1/box)		Nellcor Multiside Sensor D-YS 70124034 Nellcor SpO2 Ear-Clip D-YSE
Length	Part Nr	Length	Part Nr	Length	Part Nr
1,2m	2021406-002	1 m	70124021	1 m	70124033
3 m	2021406-001				

Pulse Oximetry - Masimo LNCS					
	Masimo LNC-10 interconnect cable with GE connector		Masimo LNCS DCI Reusable Finger sensor, Adult		Masimo LNCS Reusable Ear sensor
Length	Part Nr	Length	Part Nr	Length	Part Nr
3 m	2027263-002	1 m	2027258-001	1 m	2027261-001

Roll Stand	
	DINAMAP roll stand (delivery without Equipment and accessories)
Height	Part Nr
1,04 m	2073250-002

	KIT DINAMAP ROLLSTAND EXERGEN SCANNER UNI-DOCK
Note	Compatible with roll stands. and new "round style" TAT- 5000S Exergen temporal scanners
Part Nr	2073250-002

	KIT, EXERGEN HOLDER
Note:	Compatible with around pole construction on the wall mount or old style of roll stand
Part Nr	2051186-001

Temporal Artery Thermometer

Instrument Holder			
	Part Number	Description	
	EX124378	TAT-5000 Arterial calibration	
	EX134201	Instrument Holder for Standalone	
	EX134305	Keyless Locking Wall Mount, Instrument Holder	
	EX134306	Keyless Locking Wall Mount Combo Units (holds both Instruments and Caps)	
Cover Probe			
	Part Number	Description	Packaging
	EX134203	Resposable Caps, Exergen	Box of 1000
	EX134205	Resposable Caps, Exergen	Box of 5000
	EX129462	Tubular Sheaths	Box of 250
Verification Kit			
	Part Number	Description	
	EX129003	Calibration Verification Kit	
	EX129012	Calibration Verification Heat Generator, use with either 9-volt Battery or AC Adapter (both included)	
Security Cable			
	Part Number	Description	
	EX124309	Security Cable 8' (243,84 cm) Coiled Rubber	
	EX124311	Security Cable 8' (243,84 cm) Coiled Rubber, Latex Free, Red	
	EX134302	Security Cable, 6' (182,88 cm), Vinyl-covered, braided steel cable with lock and key (field attached)	
	EX134030	Security Cable 8' (243,84 cm) Vinyl steel	



Sensors

	Exhalation valve kit with flow sensor		Exhalation valve kit without flow sensor		Expiratory flow sensor
Part Nr	1505-3848-000	Part Nr	1505-8568-000	Part Nr	1505-3231-000
	Neonatal flow sensor		Neonatal flow sensor cable		
Part Nr	1505-3272-000	Part Nr	1505-5604-000		

Gas Monitoring

			
Part Number	881319-HEL	M1200227	8002174
Description	D-fend+	D-fend Pro +	Mini D-fend Water Trap
Recommended with	E-CO E-COV E-COVX	E-sCO, E-sCOV E-sCOVX	E-MiniC
Packaging	10/ box	10/ box	10/ box

Spiro Dynamics

Description
 Intratracheal pressure sensor, 10/box (For use with Spirodynamics)
Part Nr M1045564

Inspiratory Guard

Description
 Inspiratory Safety Guard
Part Nr 2066713-001 2083208-001
Packaging 1 /box 10/ box

Spirometry

Part Nr	Description	Part Nr	Description
 8004381	Spirometry Kit, disposable, 2m/7ft 20 /box.	 8002718	Pedi-lite Spirometry Kit, pediatric, 2m/7ft, 50/box.

Exhalation Valve Heater

Part Nr	Description	Part Nr	Description
 M1200693	Exhalation valve heater w/cable	 M1188723	Cable for Exhalation valve heart

Aerogen Nebulizers and Accessories					
Part Nr			Description		
	AG-AP1000	Nebulizer head with filler cap		AG-AP1010	Adult tee with plug (5 pcs)
	AG-AP1020	Pediatric tee with plug (5 pcs)		AG-AP1025	Neonatal nebulizer Adapter (T-piece small is required)
	AG-AP1030	Filler cap for Nebulizer (5 pcs)		AG-AP1035	Neonatal tee with silicone plug 12 mm/12 mm (5 pcs)
	AG-AP1100	Nebulizer replacement kit, adult		AG-AP1200	Nebulizer replacement kit, pediatric
	AG-AS3010	Adult Nebulizer tee (10 pcs)		AG-AS3020	Pediatric Nebulizer tee (10 pcs)
	AG-AS3025	Neonatal Nebulizer tee, 12mm M/12 mm F (10 pcs)		AG-AS3200-S	Aerogen Solo Neb (10 pcs)
	AG-AS3450	Silicone Plug) (1/pk)		AG-AS3035	Neonatal Nebulizer tee, 12 mm M/12 mm F (10 pcs)
	AG-AS3100-S	Aerogen Solo Neb (5 pcs)		AG-AP1005	Plug, Nebulizer tee (5 pcs)
	1505-3846-000	Aerogen Pro Nebulizer kit with adult and ped tee and cable		1505-5602-000	Nebulizer cable

Brackets and Cart Accessories					
Part Nr			Description		
Part Nr			Description		
	M1081203	Shelf mount kit, stand alone		M1165123	Adjustable mounting rail (includesM1165134)
	M1165134	Adjustable mounting rail adapter		0217-5378-800	IV Pole
	WM-0009-8	E-cylinder holder with channel mount		WM-0001-02	Utility basket- 6 inches deep
	1505-3801-000	Patient hose support arm		1505-8591-000	HUMIDIFIER/WATER TRAP mounting brackets (2 pcs): (Field Installed)
	1001-3626-000	Mounting Bracket adapter dovetail to channel (Required to mount utility basket or E-cylinder holder to dovetail)		1505-8592-000	Humidifier mounting bracket (1 pc): (Field installed)



Gas Monitoring

Description



D-Fend Pro, 10/ pack
Recommended with:
E-sCAiO, E-sCAiOV,
E-sCAiOE, E-sCAiOVE, N-sCAiO

Part Nr M1182629

Sensor

Description



Flow Sensor

Part Nr 2069358-001-S



Gas Monitoring

Description



D-Fend Pro, 10/ pack

Recommended with:

E-sCAiO, E-sCAiOV, E-sCAiOE,
E-sCAiOVE, N-CAiO, E-sCAiOVX

Part Nr

M1182629

Calibration gas

Part Number

Description



755580

QUICK CAL calibration gas, CO₂, bal Air.
For CO₂ module Mini-C, E-sCO & E-sCOV.



755583-HEL

GAS Calibration gas - ANAES (1).
For anesthesia gas modules E-sCAiO(V), E-sCAiO(V)E, E-sCOVX, E-sCAiOVX
and N-CAiO.



755534-HEL

D-gate calibration gas regulator.
Disposable for 755580 & 755583-HEL

Anaesthetic Breathing Circuit Spares

Part Number

Description



M1234213

Replacement ABS breathing circuit for Avance & Avance CS²



2063823-001-S

Replacement ABS breathing circuit for Aisys & Aisys CS²



1407-7026-000

- Condenser manifold for Aisys & Aisys CS² and Avance & Avance CS²
- Requires rail design 1407-7004-000 reusable canister or 8003138, 8003693 disposable CO₂ canisters



1407-7027-000

- EZchange Canister manifold and condenser option for Aisys & Aisys CS² and Avance & Avance CS²
- Includes 1407-7021-000 EZchange manifold, 1407-7024-000 condenser and 1407-3145-000 guard.
Requires rail design 1407-7004-00 reusable CO₂ canister or 8003138, 8003693 disposable CO₂ canisters.

Aisys & Aisys CS2 and Avance & Avance CS2

Flow Sensor Spares		
	Part Number	Description
	1407-7022-000	Flow Sensor Module ABS for Aisys & Aisys CS ² . Includes flow sensor cover and module. Does not include flow sensors.
	1407-7001-000	Flow Sensor Module ABS for Avance & Avance CS ² . Includes flow sensor cover and module. Does not include flow sensors.
	1503-3858-000	Off-Set flow sensor
	2089610-001-S	Standard Flow Sensor - Meet specification for minimum 12 months
	2087640-001-S	Autoclavable Flow Sensor

Acillaries					
	Part Number	Description		Part Number	Description
	1001-3269-000	- Caster guards - Set of 4 - Grey - for 5" caster		1009-3252-000	- Patient Fingers - OEM part - Retainer Multiple CA large - Plastic
	M1227207-S	Work surface cover, kit. Only for Aisys CS²		1500-3378-000	Bellows Adult
	2064012-001	Work surface cover, kit. Only for Avance CS²			
	8502569-S	Gas Hose Zipper 2.5 meter			



GE Healthcare Sverige AB
Box 70
Vendevägen 89
182 11 DANDERYD
Sverige
T: 08-559 500 10
www.gehealthcare.se

GE Healthcare Danmark A/S
Park Allé 295
2605 Brøndby
Denmark
T: 43 29 54 00
www.gehealthcare.dk

GE Healthcare Norge A/S
Vitaminveien 1A
OSLO 0485
Norge
T: 23 18 50 00
www.gehealthcare.no

GE Healthcare Finland Oy
Kuortaneenkatu 2
00510 Helsinki
Finland
T: 010 394 11
www.gehealthcare.fi